IN THE CLAIMS:

- 1. (Original) A rippled wafer formed of a convoluted wafer ribbon, the rippled wafer having an average of at least 12 turns/cm², wherein a turn is a change in direction of the wafer ribbon of at least 45°.
- 2. (Original) A rippled wafer according to claim 1 having an average of at least 15 turns/ cm².
- 3. (Currently amended) A rippled wafer according to claim 1 or 2 having an average of at least 20 turns/cm².
- 4. (Currently amended) A rippled wafer according to any of claim 1 to 3 having an average of at least 25 turns/ cm².
- 5. (Currently amended) A rippled wafer according to any preceding claim 1, wherein a turn is a change in direction of the wafer ribbon of at least 90°.
- 6. (Currently amended) A rippled wafer according to any preceding claim 1, wherein a turn is a change in direction of the wafer ribbon of at least 135°.
- 7. (Currently amended) A rippled wafer according to any preceding claim 1, having a ratio of cross sectional edge length, as defined in the specification, to average cross sectional area of greater than $2/r_e$, as defined in the specification.
- 8. (Currently amended) A rippled wafer according to any preceding claim $\underline{1}$, having a ratio of cross sectional edge length to average cross sectional area \underline{of} at least $4/r_e$.

- 9. (Currently amended) A confectionery product comprising a rippled wafer according to any preceding claim 1.
- 10. (Original) A confectionery product comprising a rippled wafer formed of a convoluted wafer ribbon, wherein the turns are substantially uniformly distributed across the cross section of the rippled wafer, where a turn is a change in direction of the wafer ribbon of at least 45°.
- 11. (Original) A confectionery product comprising a three-dimensional rippled wafer formed in a single step.
- 12. (Currently amended) A confectionery product according to claim 10, or 11 wherein the ratio of the cross sectional edge length, as defined in the specification, to the average cross sectional area of the rippled wafer is greater than $2/r_e$, as defined in the specification.
- 13. (Currently amended) A confectionery product according to claim 10, 11 or 12 wherein the ratio of the cross sectional edge length to the average cross sectional area of the rippled wafer is at least 4/r_e.
- 14. (Currently amended) A confectionery product according to any of elaims 10 to 13 claim 10, wherein the rippled wafer has an average of at least 12 turns/ cm².
- 15. (Original) A confectionery product according to claim 14 wherein the rippled wafer has an average of at least 14 turns/ cm².

- 16. (Currently amended) A confectionery product according to claim 14, or 15 wherein the rippled wafer has an average of at least 20 turns / cm².
- 17. (Currently amended) A confectionery product according to any of elaims claim 14, to 16 wherein the rippled wafer has an average of at least 25 turns/ cm².
- 18. (Currently amended) A confectionery product according to any of elaims claim 10, to 17 wherein a turn is a change in direction of the wafer ribbon of at least 90°.
- 19. (Currently amended) A confectionery product according to any of elaims claim 10, to 18 wherein a turn is a change in direction of the wafer ribbon of at least 135°.
- 20. (Currently amended) A confectionery product according to any of elaims claim 9, to 19 further comprising a soft layer at least partly surrounding the rippled wafer and a hard shell.
- 21. (Original) A confectionery product according to claim 20 wherein the soft layer is a fat-based cream.
- 22. (Currently amended) A confectionery product according to claim 20, or 21 wherein the hard shell is chocolate.
- 23. (Currently amended) A moulded confectionery product according to any of claims claim 9 to 22.
- 24. (Currently amended) A petfood comprising a rippled wafer according to any of claims claim 1 to 8.

- 25. (Cancelled)
- 26. (Cancelled)